

**CELLECTA ScreedBoard® 28** laid on sub-floor  
Metal C-section joists  
Use with lightweight metal frame walls only

**CELLECTA ScreedBoard® 28**  
(See Table 2S.06a for full details)

**Floor decking** 18mm thick (min) wood based board, density 600kg/m<sup>3</sup>

**Joists** 200mm<sup>(1)</sup> (min) deep metal C-section joists

○ 50mm **CELLECTA FIBREfon® Micro 50**  
● 100mm (min) quilt insulation (10-36kg/m<sup>3</sup>)

See Table 2S.06b for ceiling treatment options featuring 30mm deep **CELLECTA HP30** resilient bars

(1) 254mm(min) required for Robust Detail applications




Fig. 2S.06

**FASTRACKCAD**  
ARCHITECTURAL CAD DATABASES

Available on  
**bimstore.co**

**NSPlus**

Table 2S.06a

### Installation Details

#### Resilient overlay platform floor system

- ScreedBoard® 28** Ultra high performance, dense acoustic composite overlay board  
Dimensions: 28mm x 600mm x 1200mm  
Weight: 26kg/m<sup>2</sup> / 18.72kg/board
- CELLECTA Pro Adhesive**  
ScreedBoard joint adhesive  
Bottle size: 1L / 33m<sup>2</sup> coverage
- YELOfon® FS50**  
Preformed flanking strip  
6mm x 50mm x 30mm x 2m

**CLASS Bfl,S1**  
BS EN13501-1

**Additional items required:**  
CELLECTA ScreedBoard fixing tools  
Sound absorbing quilt laid between joists:  
○ 50mm **CELLECTA FIBREfon Micro 50** non-itch polyester wool  
● 100mm (min) Mineral wool 10-36kg/m<sup>3</sup>

Table 2S.06b

### Ceiling Treatment Options

**Ceiling board fixings must not penetrate or touch the floor joists**  
30mm **CELLECTA HP30** Resilient Bars (3m long) mounted at right angles to the joists at 600mm (max) centres.

**CT1** Two layers of gypsum-based board, composed of 19mm (nominal 13.5kg/m<sup>2</sup>) fixed with 32mm screws and 12.5mm (nominal 10kg/m<sup>2</sup>) fixed with 42mm screws, with all joints staggered.

**CT2** Two layers of gypsum-based board, composed of 15mm (nominal 12.5kg/m<sup>2</sup>) fixed with 25mm screws and a second layer of 15mm (nominal 12.5kg/m<sup>2</sup>) fixed with 42mm screws, with all joints staggered.

200mm (min)<sup>(1)</sup>

30mm void

**Sacrificial ceiling (optional)**  
Metal ceiling system with a 75mm (min) void fixed to underside of primary ceiling. One layer of nominal 8kg/m<sup>2</sup> gypsum based board.

75mm (min)

Service void

#### Construction notes

Materials must be installed in accordance with manufacturers' and Robust Detail instructions to achieve required acoustic performance values.  
Wall treatments **MUST** be isolated from the floating floor with **YELOfon FS50** perimeter flanking strip.

### Acoustic Performance

<b>Airborne:</b> 54dB $D_{nT,w} + C_{tr}$	Building Regs
<b>Impact:</b> 55dB $L_{nT,w}$	+ 5dB

Values quoted are typical and based on the treatment being installed correctly and pre-completion tested (PCT).  
Airborne performance tested in accordance with BS EN ISO 140-4:1998  
Impact performance tested in accordance with BS EN ISO 140-7:1998

### Third Party Accreditation and Approvals



### Environmental Credentials

# Metal C-section joist separating floor

## Robust Detail E-FS-3 + UFH

**CELLECTA Mojave®** acoustic/UFH floating floor system laid on timber sub-deck  
Metal C-section joists and lightweight metal frame walls only




Fig. 2S.07

<b>Acoustic + UFH treatment</b>	<b>CELLECTA Mojave® S1/8</b> acoustic treatment incorporating underfloor heating (see Table 2S.07a for full details)
<b>Floor decking</b>	18mm thick (min) wood based board, density 600kg/m <sup>3</sup>
<b>Joists</b>	200mm <sup>(1)</sup> (min) deep metal C-section joists
<b>Absorbing material</b>	50mm <b>CELLECTA FIBREfon® Micro 50</b> 100mm (min) quilt insulation (10-36kg/m <sup>3</sup> )
<b>Ceiling</b>	See Table 2S.07b for ceiling treatment options featuring 30mm deep <b>CELLECTA HP30</b> resilient bars (1) 254mm(min) required for Robust Detail applications

**FASTRACKCAD**  
ARCHITECTURAL CAD DATABASES

Available on  
**bimstore.co**

**n5Plus**

Table 2S.07a

### Installation Details

**Resilient overlay platform floor system incorporating underfloor heating**

**Mojave® S1/8**  
Dry laid acoustic treatment incorporating underfloor heating system

- ScreedBoard® 20**  
High conductivity overlay board  
Dimensions: 20mm x 600mm x 1200mm  
Weight: 25kg/m<sup>2</sup> / 18.00kg/board  
Thermal resistance: 0.05m<sup>2</sup>K/W
- CELLECTA Pro Adhesive**  
ScreedBoard joint adhesive  
Bottle size: 1L / 33m<sup>2</sup> coverage
- ULTRAplate**  
Aluminium heat diffuser plate (to suit pipe installed)  
Dimensions: 130mm x 1000mm
- XFLO® 250/300/500**  
High compressive strength routed XPS insulation board  
Dimensions: 15-75mm x 600mm x 2500mm  
Pipe centre: 150, 200, 300mm  
Pipe bore size (OD): 10 - 20mm (manufactured to suit)
- FIBREfon® 8**  
High performance resilient layer  
Dimensions: 8mm x 600mm x 1200mm  
Weight: 1kg/m<sup>2</sup> / 0.72kg/board
- YELOfon® ESS/100**  
Perimeter edge strip  
Dimensions: 5mm x 100mm x 50mm
- UFH water pipe (by others)**

Additional item required:  
**CELLECTA ScreedBoard** fixing tools

**CLASS Bfl,S1**  
BS EN13501-1

**housebuilder product awards 2020**  
winner  
**Best Services Product**

Table 2S.07b

### Ceiling Treatment Options

Ceiling board fixings must not penetrate or touch the floor joists  
30mm **CELLECTA HP30** Resilient Bars (3m long) mounted at right angles to the joists at 600mm (max) centres.

**CT1** Two layers of gypsum-based board, composed of 19mm (nominal 13.5kg/m<sup>2</sup>) fixed with 32mm screws and 12.5mm (nominal 10kg/m<sup>2</sup>) fixed with 42mm screws, with all joints staggered.

**CT2** Two layers of gypsum-based board, composed of 15mm (nominal 12.5kg/m<sup>2</sup>) fixed with 25mm screws and a second layer of 15mm (nominal 12.5kg/m<sup>2</sup>) fixed with 42mm screws, with all joints staggered.

**Construction notes**  
Materials must be installed in accordance with manufacturers' and Robust Detail instructions to achieve required acoustic performance values.  
Wall treatments **MUST** be isolated from the floating floor with **YELOfon ESS/100** perimeter flanking strip.

### Acoustic Performance

<b>Airborne:</b> 55dB $D_{nT,w} + C_{tr}$	<b>Building Regs</b>
<b>Impact:</b> 54dB $L_{nT,w}$	<b>+ 5dB</b>

Values quoted are typical and based on the treatment being installed correctly and pre-completion tested (PCT).  
Airborne performance tested in accordance with BS EN ISO 140-4:1998  
Impact performance tested in accordance with BS EN ISO 140-7:1998

### Third Party Accreditation and Approvals




### Environmental Credentials



# Floating floor treatment design & installation details: ScreedBoard® 20/28

The acoustic performance of the floor structure will be compromised if the **ScreedBoard**'s are not completely isolated from the sub-floor, soil pipes, door frames, surrounding walls and their treatments. To address this risk, each potential problem area needs to be detailed accordingly.




## Fixing tools & adhesive required

- A. Hand or skill saw
- B. Club hammer
- C. ScreedBoard "Fixing batten"
- D. ScreedBoard "Pull bar"
- E. **CELLECTA Pro Adhesive** (1Ltr)
- + Packing shims (not shown)


Installation video on the **CELLECTA** app

### 1 Door threshold




To add additional support, trim off 35mm of the resilient later from the leading edges and install a 75mm wide **RUBBERfon Threshold Support Strip (TSS)**.

### 2 Wall treatment installed before the floor treatment




Wall treatments **MUST** be isolated from the **ScreedBoard 20/28** with **YELOfon ES or FS strip**.

### 3 Wall treatment installed after the floor treatment




Wall treatments **MUST** be isolated from the **ScreedBoard 20/28** with **YELOfon ES or FS strip**.

### 4 Timber stud partition built off the structural floor




Internal timber stud walls built off the structural floor **MUST** be isolated from the **ScreedBoard 20/28** with **YELOfon ES or FS strip**.

### 5 Non-load bearing timber stud partition built off the floor treatment




Non-load bearing timber stud walls can be built directly off the **ScreedBoard 20/28**. Care should be taken to ensure screws **DO NOT** penetrate the resilient layer.

### 6 Metal frame partition built off the structural floor




Internal metal frame walls built off the structural floor **MUST** be isolated from the **ScreedBoard 20/28** with **YELOfon ES or FS strip**.

### 7 Non-load bearing metal frame partition built off the floor treatment




Non-load bearing metal frame walls can be built directly off the **ScreedBoard 20/28**. Care should be taken to ensure screws **DO NOT** penetrate the resilient layer.

### 8 Sanitary ware built off the floor treatment.



Sanitary ware can be built directly off the **ScreedBoard 20/28**. Ensure the screws do not penetrate the resilient layer.

### 9 Baths, shower trays built off the structural floor



Baths and shower trays built off the structural floor should be isolated from the **ScreedBoard 20/28** and any floor finished **YELOfon ES or FS strip**.