

DECKfon ULTRAlay 5

Section 1 - Chemical Product and company identification

 Product Name DECKfon ULTRAlay 5

 Use Acoustic resilient layer

 Company Cellecta Limited, Bounty House, Medway Valley Park, Rochester, Kent, ME2 2NF

 Email/Web Address technical@cellecta.co.uk
 www.cellecta.co.uk

 Emergency Contact No. During office hours - 01634 296677. Outside of these please contact a medical professional.

Section 2 - Composition Polyurethane polymer & PU off cuts

| Section 3 - Hazards Ident | tification |
|----------------------------|--|
| Appearance - | Open cellular flexible bonded foam |
| General - | Rebonded polyurethane foams do not present any danger in normal use. |
| Chemical description - | Poly-addition materials of isocyanates, Polyether polyols and water react in an exothermic reaction to form cellular bonded foam. |
| Section 4 - First aid meas | sures |
| Inhalation - | No specific risk in normal use. Chronic inhalation of PU dust can cause infection of the lungs, fibrosis and airway obstruction. |
| Skin Contact - | No specific risk in normal use. |
| Eye Contact - | Dust particles can cause mechanical irritation. Flush with plenty of water for at least 5 minutes. If irritation persists, consult a medical professional. |
| Ingestion - | Drink plenty of water. Do not give laxatives or induce vomiting. Should symptoms persist consult a medical professional. |

Section 5 - Fire fighting measures

| Extinguishing Media - | Water, CO₂ or powder can be used - do not use water if fire is caused by an |
|---------------------------|--|
| | electrical short circuit. |
| Advise for Firefighters - | Product will partly melt and shrink away from flames. |
| | Smoke can give small amounts of acid. Fire fighters should use self-contained breathing apparatus. |
| Fire Hazard - | The product is combustible material. The product is flammable and causes, when burning, intense heat and dense smoke. |
| Auto ignition - | Above 200°C |
| Melting Point - | The product can, when heated, also melt and flammable decomposition products can be generated. In a fire, decomposition products like carbon monoxide, carbon dioxide, gaseous hydrocarbons and nitrogen containing products can be generated in various concentrations depending on combustion conditions. |

Section 6 - Accidental Release Measures Environmental Protection - N/A

Section 7 - Handling and Storage

| 0 | 0 |
|-----------------------|--|
| Packaging - | Product is either bonded to an overlay board or supplied on pallets wrapped in polyethylene. |
| Max Storage Temp - | 70°C |
| Storage Conditions - | DECK <i>fon</i> foam should be stored in dry conditions, not outside and away from heat sources (ie. match, cigarette, open fire, electric heater. UV rays may cause surface discolouration. This does not effect the foam qualities. |
| Protective Clothing - | Not required |
| Ventilation - | Provided there is adequate general ventilation, no special precautions are necessary for most handling and cutting operations. |
| BB/DU5221020V1 | www.cellecta.co.uk technical@cellecta.co.uk (+44) 01634 296677 |

October 2020 - Version 1

Safety Data Sheet



January 2019 - Version 2

| Section 8 - Exposure Control | s/Personal Protection | |
|---|---|--|
| Respiratory equipment - | No specific risk - wear a suitable face mask where appropriate. | |
| Hand Protection - | No specific risk - wear suitable gloves where appropriate. | |
| Eye Protection - | No specific risk - wear suitable safety glasses where appropriate. | |
| Skin Protection - | N/A | |
| Hygiene Measures - | After contact, wash hands with lukewarm water and soap. | |
| Section 9 - Physical and Chen | hical Properties | |
| Appearance - | Solid, voluminous material | |
| Colour - | Various, but grey in appearance | |
| Odour - | Odourless | |
| Flash Point - | 400°C | |
| Density - | 80 to 250kg/m ³ | |
| Solubility - | Insoluble | |
| Section 10 - Stability and Rea | ctivity | |
| Stability - | The product is stable at temperature between 40°C and 80°C | |
| Reactivity - | Resistant to oil, light & solvents | |
| Section 11 - Toxicological Info Irritant Effect - | rmation These products present no danger in normal use and for which the product was intended. | |
| Section 12 - Ecological Inform Biodegradation - | DECK <i>fon</i> foam degrades slowly. Decomposition products are not harmful to the environment. | |
| Section 13 - Disposal Conside Disposal - | Prations If recycling is not possible, scrap or post consumer waste can be disposed of at local landfill sites of by incineration under controlled conditions, all disposal should be in accordance with local regulations. | |
| Section 14 - Transport Inform | a tion | |
| This product is not classified as h | nazardous for land, maritime and air transport | |
| Section 15 - Regulatory Information This product is not classified as hazardous. | | |

Section 16 - Further Information

Supplementary information about this product can be supplied by Cellecta Ltd.

The information given is correct to the best of our knowledge at the time of publication but without guarantee of accuracy. It does not represent a guarantee of the properties of the product. We do not accept any responsibility for damage and claims arising from handling, transport, storage or disposal of the product. This data sheet applies to the product named above. If the product is used as parts of other products, information in the safety data sheet may be invalidated. No warranty is hereby expressed or implied.