# Safety Data Sheet



# Chipboard

## October 2020 - Version 1

Section 1 - Chemical Product and company identification

Product Name -	Chipboard facing	
Use -	Moisture resistant P5 chipboard for acoustic an	nd thermal laminates
Company -	Cellecta Limited, Bounty House, Medway Valle	y Park, Rochester, Kent, ME2 2NF
Email/Web Address -	technical@cellecta.co.uk	www.cellecta.co.uk
Emergency Contact No	During office hours - 01634 296677. Outside of these please contact a medical	
	professional.	

**Section 2 - Hazards Identification** Harmful by inhalation (dust/formaldehyde). Effects of skin contact are not fully known and may vary.

Section 3 - Information on Ingredients	
Wood -	82 - 84%
Solid resin -	8 - 10%
Water -	7%
Solid paraffin wax -	0.5%
Total extractable formaldehyde (CASNo. 50-00-0) -	0.008% max (emission class 1)
Silica -	<0.05%
Green dye -	0 - 0.01%

Section 4 - First aid measures

Inhalation -	Remove the person to fresh air, should symptoms persist, consult a medical professional
Skin Contact -	Wash skin with plenty of water, then wash with water and soap.
Eye Contact -	Irrigate with water, should symptoms persist, consult a medical profession
Ingestion -	Wash mouth out and drink plenty of water. Do not give laxatives or induce vomiting. Should symptoms persist consult a medical professional.

#### Section 5 - Fire fighting measures

Extinguishing Media -	Water, $CO_2$ . Dust from cutting and milling operations is an explosive hazard (see
	additional information). Thermal decomposition produces irritating and toxic gases
	including CO, aldehydes and organic acids.

Section 6 - Accidental Release Measures

Environmental Protection -	Sweep or vacuum wood dust for recovery or disposal, avoid generation of dusty
	conditions. Provide good ventilation.

#### Section 7 - Handling and Storage

Safe handling Advice -	Care should be taken during handling to protect hands from small splinters of wood.
	Follow good housekeeping practices; clean up areas where wood dust settles to
	avoid excessive accumulation of this combustible material. Avoid generation of
	explosive levels of wood dust in air.
Storage Conditions -	Store in a cool, dry and well ventilated area.
	Note: In poorly ventilated areas, particularly under moist and warm conditions, small
	traces of formaldehyde may be emitted.

Section 8 - Exposure Contro	ls/Personal Protection
WEL Wood dusts -	8 hour WEL 5/mg/m <sup>3</sup>
WEL Formaldehyde -	8 hour WEL 2 ppm (2.5mg/m <sup>3</sup> STEL 15 minute 2 ppm (2.5mg/m <sup>3</sup> )
Respirator -	Approved respirator under dusty conditions recommended

## **Safety Data Sheet**



### October 2020 - Version 1

Section 8 - Exposure Control	s/Personal Protection
Ventilation -	Local exhaust - Due to explosive potential of wood dust when suspended in air, precautions should be taken to prevent sparks or other ignition sources in ventilation equipment. Use of totally enclosed motors is recommended
Gloves -	Recommended to reduce skin contact, except where moving machinery parts expose to hazards.
Eyes -	Safety glasses or goggles recommended
Section 9 - Physical and Chei	mical Properties
Appearance - Density -	Straw to tan (may have a green surface or core) 560 - 720kg/m³
Ignition Point -	100°C (ignition temperature of dust)
Section 10 - Stability and Rea	activity
Conditions to avoid -	Thermal decomposition produces irritating and toxic gases including CO, aldehydes and organic acids. Avoid oxidising agents and drying oils. Keep away from sources of ignition.
Section 11 - Toxicological Inf	
Irritant Effect -	Quantitative data on the toxicity of this product are not available. Chronic effects of skin contact with wood dust are not fully known.
Section 12 - Ecological Inform	nation
Biodegradation -	Quantitative data on the ecological impact of this product are not available. Adverse effects on the environment cannot be excluded but unlikely when handled, stored, and disposed of appropriately.
Section 13 - Disposal Conside	orations
Disposal -	The suppliers can recycle the product. Recycling is the preferred route. If recycling is
	not possible the material should be sent for energy recovery. Landfill is not advised but can be used as a last resort. It is however the user's responsibility to ensure waste is disposed of in accordance with all valid laws.
Section 14 - Transport Inform	
This product is not classified as	hazardous for land, maritime and air transport
Section 15 - Regulatory Infor Within the UK, the use of this m (COSHH) regulations.	mation naterial must be assessed under the Control of Substances Hazardous to Health
Section 16 - Further Informa	<b>tion</b> out this product can be supplied by Cellecta Ltd.

The information given is correct to the best of our knowledge at the time of publication but without guarantee of accuracy. It does not represent a guarantee of the properties of the product. We do not accept any responsibility for damage and claims arising from handling, transport, storage or disposal of the product. This data sheet applies to the product named above. If the product is used as parts of other products, information in the safety data sheet may be invalidated. No warranty is hereby expressed or implied.